

TE1032 Standard thermocouple strippanel

Application

Contacts	Springloaded thermocouple contacts
Body material	Glass filled thermoset compound

Number of circuits

Circuits	Available 2 to 12 circuits
-----------------	----------------------------

Temperature rating

Temperature limit	Maximum 205°C (260°C peak)
--------------------------	------------------------------

Construction

Body	Glass filled thermoplastic material
Design	Solid single piece, T-nut panel fastening from the front
Molded barriers	Prevent short circuit
Identified	Scratchproof numbering

Dimensions

Height	44,5mm
Width	19mm x number of circuits

Colour code




Thermocouple type	T/C Type Code	ANSI Color Code	IEC Color Code
Iron Constantan	J	Black	Black
Copper Constantan	T	Blue	Brown
Chromel Alumel (NiCr-Ni)	K	Yellow	Green
Nicrosil Nisil	N	Orange	Pink
Chromel Constantan	E	Violet	Violet
Platinum 10% Rhodium	S	Green	Orange
Platinum 13% Rhodium	R	Green	Orange
Uncompensated *	Cu	White	White
Tungsten Rhenium	C	Brown	-

* For Pt.6%Rh. / Pt.30%Rh. B type thermocouple and Pt100 sensors

Ordering code

*This datasheet is purely indicative, build-up of model code may vary from this datasheet.



H9-2 Rev. 0 07/07